

---

# **Delorean Documentation**

***Release 0.3.1***

**Mahdi Yusuf**

January 21, 2014







datetime? Where we're going, we don't need datetime.

This document describes Delorean v0.3.1.

*Delorean* is the name of the car in the movie Back to the Future. The movie deals with a lot of time travel, hence the name Delorean as a module dealing with datetimes.

*Delorean* is a library for clearing up the inconvenient truths that arise dealing with datetimes in Python. Understanding that timing is a delicate enough of a problem *delorean* hopes to provide a cleaner less troublesome solution to shifting, manipulating, generating *datetimes*.

Delorean stands on the shoulders of giants [pytz](#) and [dateutil](#)

*Delorean* will provide natural language improvements for manipulating time, as well as datetime abstractions for ease of use. The overall goal is to improve datetime manipulations, with a little bit of software and philosophy.

Pretty much make you a badass, time traveller.



---

## Getting Started

---

Here is the world without a flux capacitor at your side.:

```
from datetime import datetime
from pytz import timezone

EST = "US/Eastern"
UTC = "UTC"

d = datetime.utcnow()
utc = timezone(UTC)
est = timezone(EST)
d = utc.localize(d)
d = est.normalize(d)
return d
```

Now lets warm up the *delorean*:

```
from delorean import Delorean

EST = "US/Eastern"

d = Delorean(timezone=EST)
return d
```

Look at you looking all fly. This was just a test drive checkout out what else *delorean* can help with below.





## 2.1 License

Copyright (c) 2012 Mahdi Yusuf

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 2.2 Installation

This software can be installed in multiple ways. The ways that are recommended are as follows.

### 2.2.1 Obtaining the Source

This is a library targeted specifically to developers so you will most likely want to get your hands on the source. It can be obtained as follows.:

```
$ git clone git://github.com/myusuf3/delorean.git
```

### 2.2.2 Installing from PyPi

I would personally recommend using [pip](#) but any of the following ways should work.

To install simply run:

```
$ pip install delorean
```

or if you must `easy_install`

```
$ easy_install delorean
```

### 2.2.3 Installing from Source

If you have a copy of the source simply running the following from the root directory should have the same effect.:

```
$ python setup.py install
```

## 2.3 Usage

*Delorean* aims to provide you with convenient ways to get significant dates and times and easy ways to move dates from state to state.

In order to get the most of the documentation we will define some terminology.

1. **naive datetime** – a datetime object without a timezone.
2. **localized datetime** – a datetime object with a timezone.
3. **localizing** – associating a naive datetime object with a timezone.
4. **normalizing** – shifting a localized datetime object from one timezone to another, this changes both tzinfo and datetime object.

### 2.3.1 Making Some Time

Making time with *delorean* is much easier than in life.

Start with importing delorean:

```
>>> from delorean import Delorean
```

Now lets create a create *datetime* with the current datetime and UTC timezone

```
>>> d = Delorean()
>>> d
Delorean(datetime=2013-01-12 06:10:33.110674+00:00, timezone=UTC)
```

Do you want to normalize this timezone to another timezone? Simply do the following

```
>>> d = d.shift("US/Eastern")
>>> d
Delorean(datetime=2013-01-12 01:10:38.102223-05:00, timezone=US/Eastern)
```

Now that you have successfully shifted the timezone you can easily return a localized datetime object or date with ease.

```
>>> d.datetime
datetime.datetime(2013, 1, 12, 01, 10, 38, 102223, tzinfo=<DstTzInfo 'US/Eastern' EST-1 day, 19:00:00>)
>>> d.date
datetime.date(2013, 1, 12)
```

For the purists out there you can do things like so.

```
>>> d.naive()
datetime.datetime(2013, 1, 12, 1, 10, 38, 102223)
>>> d.epoch()
1357971038.102223
```

You can also create Delorean object using unix timestamps.

```
from delorean import epoch
>>> epoch(1357971038.102223).shift("US/Eastern")
Delorean(datetime=2013-01-12 01:10:38.102223-05:00, timezone=US/Eastern)
```

As you can see *delorean* returns a Delorean object which you can shift to the appropriate timezone to get back your original datetime object from above.

---

**Note:** If you are comparing Delorean objects the time since epoch will be used internally for comparison. This allows for the greatest accuracy when comparing Delorean objects from different timezones!

---

*Delorean* also now accepts localized datetimes. This means if you had a previously localized datetime object, Delorean will now accept these values and set the associated timezone and datetime information on the Delorean object.

---

**Note:** If you pass in a timezone with a localized datetime the timezone will be ignored, since the datetime object you are passing already has timezone information already associated with it.

---

```
>>> tz = timezone("US/Pacific")
>>> dt = tz.localize(datetime.utcnow())
datetime.datetime(2013, 3, 16, 5, 28, 11, 536818, tzinfo=<DstTzInfo 'US/Pacific' PDT-1 day, 17:00:00>)
>>> d = Delorean(datetime=dt)
>>> d
Delorean(datetime=2013-03-16 05:28:11.536818-07:00, timezone=US/Pacific)
>>> d = Delorean(datetime=dt, timezone="US/Eastern")
>>> d
Delorean(datetime=2013-03-16 05:28:11.536818-07:00, timezone=US/Pacific)
```

## 2.3.2 Natural Language

*Delorean* provides many ways to get certain date relative to another, often getting something simple like the next year or the next thursday can be quite troublesome.

*Delorean* provides several conveniences for this type of behaviour. For example if you wanted to get next Tuesday from today you would simply do the following

```
>>> d = Delorean()
>>> d
Delorean(datetime=2013-01-20 19:41:06.207481+00:00, timezone=UTC)
>>> d.next_tuesday()
Delorean(datetime=2013-01-22 19:41:06.207481+00:00, timezone=UTC)
```

Last Tuesday? Two Tuesdays ago at midnight? No problem.

```
>>> d.last_tuesday()
Delorean(datetime=2013-01-15 19:41:06.207481+00:00, timezone=UTC)
>>> d.last_tuesday(2).midnight()
datetime.datetime(2013, 1, 8, 0, 0, tzinfo=<UTC>)
```

### 2.3.3 Truncation

Often we don't care how many milliseconds or even seconds that are present in our datetime object. For example it is a nuisance to retrieve *datetimes* that occur in the same minute. You would have to go through the annoying process of replacing zero for the units you don't care for before doing a comparison.

*Delorean* comes with a method that allows you to easily truncate to different unit of time: millisecond, second, minute, hour, etc.

```
>>> d = Delorean()
>>> d
Delorean(datetime=2013-01-21 03:34:30.418069+00:00, timezone=UTC)
>>> d.truncate('second')
Delorean(datetime=2013-01-21 03:34:30+00:00, timezone=UTC)
>>> d.truncate('hour')
Delorean(datetime=2013-01-21 03:00:00+00:00, timezone=UTC)
```

Though it might seem obvious *delorean* also provides truncation to the month and year levels as well.

```
>>> d = Delorean(datetime=datetime(2012, 5, 15, 03, 50, 00, 555555), timezone="US/Eastern")
>>> d
Delorean(datetime=2012-5-15 03:50:00.555555-04:00, timezone=US/Eastern)
>>> d.truncate('month')
Delorean(datetime=2012-5-01 00:00:00-04:00, timezone=US/Eastern)
>>> d.truncate('year')
Delorean(datetime=2012-01-01 00:00:00-04:00, timezone=US/Eastern)
```

### 2.3.4 Strings and Parsing

Another pain is dealing with strings of datetimes. *Delorean* can help you parse all the datetime strings you get from various APIs.

```
>>> from delorean import parse
>>> parse("2011/01/01 00:00:00 -0700")
Delorean(datetime=2011-01-01 07:00:00+00:00, timezone=UTC)
```

As shown above if the string passed has offset data *delorean* will convert the resulting object to UTC, if there is no timezone information passed in UTC is assumed.

#### Ambiguous cases

There might be cases where the string passed to parse is a bit ambiguous for example. In the case where *2013-05-06* is passed is this May 6th, 2013 or is June 5th, 2013?

precedence‘*Delorean*‘ makes the assumptions that *dayfirst=True* and *yearfirst=True* this will lead to the following precedence.

If *dayfirst* is *True* and *yearfirst* is *True*:

- YY-MM-DD
- DD-MM-YY
- MM-DD-YY

So for example with default parameters *Delorean* will return ‘2013-05-06’ as May 6th, 2013.

```
>>> parse("2013-05-06")
Delorean(datetime=2013-05-06 00:00:00+00:00, timezone=UTC)
```

Here are the precedence for the remaining combinations of `dayfirst` and `yearfirst`.

If `dayfirst` is `False` and `yearfirst` is `False`:

- MM-DD-YY
- DD-MM-YY
- YY-MM-DD

If `dayfirst` is `True` and `yearfirst` is `False`:

- DD-MM-YY
- MM-DD-YY
- YY-MM-DD

If `dayfirst` is `False` and `yearfirst` is `True`:

- YY-MM-DD
- MM-DD-YY
- DD-MM-YY

### 2.3.5 Making A Few Stops

Delorean wouldn't be complete without making a few stop in all the right places.

```
>>> import delorean
>>> from delorean import stops
>>> for stop in stops(freq=delorean.HOURLY, count=10):    print stop
...
Delorean(datetime=2013-01-21 06:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 07:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 08:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 09:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 10:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 11:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 12:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 13:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 14:25:33+00:00, timezone=UTC)
Delorean(datetime=2013-01-21 15:25:33+00:00, timezone=UTC)
```

This allows you to do clever composition like daily, hourly, etc. This method is a generator that produces *Delorean* objects. Excellent for things like getting every Tuesday for the next 10 weeks, or every other hour for the next three months.

#### With Power Comes

Now that you can do this you can also specify `timezones` as well `start` and `stop` dates for iteration.

```
>>> import delorean
>>> from delorean import stops
>>> from datetime import datetime
>>> d1 = datetime(2012, 5, 06)
>>> d2 = datetime(2013, 5, 06)
```

---

**Note:** The `stops` method only accepts naive datetime start and stop values.

---

Now in the case where you provide *timezone*, *start*, and *stop* all is good in the world!

```
>>> for stop in stops(freq=delorean.DAILY, count=10, timezone="US/Eastern", start=d1, stop=d2):
...
Delorean(datetime=2012-05-06 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-07 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-08 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-09 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-10 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-11 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-12 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-13 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-14 00:00:00-04:00, timezone=US/Eastern)
Delorean(datetime=2012-05-15 00:00:00-04:00, timezone=US/Eastern)
```

---

**Note:** if no start or timezone value is specified start is assumed to be localized UTC object. If timezone is provided a normalized UTC to the correct timezone.

---

Now in the case where a naive stop value is provided you can see why the follow error occurs if you take into account the above note.

```
>>> for stop in stops(freq=delorean.DAILY, timezone="US/Eastern", stop=d2):
...
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
  File "delorean/interface.py", line 63, in stops
    bysecond=None, until=until, dtstart=start):
TypeError: can't compare offset-naive and offset-aware datetimes
```

You will be better off in scenarios of this nature to skip using either and use count to limit the range of the values returned.

```
>>> for stop in stops(freq=delorean.DAILY, count=2, timezone="US/Eastern"):
...
Delorean(datetime=2013-01-22 00:10:10-05:00, timezone=US/Eastern)
Delorean(datetime=2013-01-23 00:10:10-05:00, timezone=US/Eastern)
```

## 2.4 Interface

### 2.4.1 Delorean

**class** `delorean.dates.Delorean` (*datetime=None, timezone=None*)

The class *Delorean* <*Delorean*> object. This method accepts naive datetime objects, with a string timezone.

**date**

This method returns the actual date object associated with the Delorean object.

**datetime**

This method returns the actual datetime object associated with the Delorean object.

**epoch()**

This method returns the total seconds since epoch associated with the Delorean object.

**midnight()**

This method returns midnight for datetime associated with the Delorean object.

**naive()**

Returns a naive datetime object associated with the Delorean object, this method simply converts the localize datetime to UTC and removes the tzinfo that is associated with it.

**shift(tz)**

This method shifts the timezone from the current timezone to the specified timezone associated with the Delorean object

**timezone()**

This method return a valid pytz timezone object associated with the Delorean object or raises Invalid Timezone error.

**truncate(s)**

Truncate the delorian object to the nearest s (second, minute, hour, day, month, year)

This is a destructive method, modifies the internal datetime object associated with the Delorean object.

**delorean.dates.datetime\_timezone(tz)**

This method given a timezone returns a localized datetime object.

**delorean.dates.get\_total\_second(td)**

This method takes a timedelta and return the number of seconds it represents with the resolution of 10 \*\*6

**delorean.dates.is\_datetime\_naive(dt)**

This method returns true if the datetime is naive else returns false

**delorean.dates.localize(dt, tz)**

Given a naive datetime object this method will return a localized datetime object

**delorean.dates.move\_datetime\_month(dt, direction, num\_shifts)**

Move datetime 1 month in the chosen direction. unit is a no-op, to keep the API the same as the day case

**delorean.dates.move\_datetime\_week(dt, direction, num\_shifts)**

Move datetime 1 week in the chosen direction. unit is a no-op, to keep the API the same as the day case

**delorean.dates.move\_datetime\_year(dt, direction, num\_shifts)**

Move datetime 1 year in the chosen direction. unit is a no-op, to keep the API the same as the day case

**delorean.dates.normalize(dt, tz)**

Given a object with a timezone return a datetime object normalized to the proper timezone.

This means take the give localized datetime and returns the datetime normalized to match the specified time-zone.

## 2.4.2 Interface Methods

**delorean.interface.now()**

Return a delorean object, with utcnow as the datetime

**delorean.interface.parse(s, dayfirst=True, yearfirst=True)**

Parses a datetime string in it and returns a *Delorean* object.

If a timezone is detected in the datetime string it will be normalized to UTC, and a Delorean object with that datetime and timezone will be returned.

**delorean.interface.range\_daily(start=None, stop=None, timezone='UTC', count=None)**

This an alternative way to generating sets of Delorean objects with DAILY stops

`delorean.interface.range_hourly` (*start=None, stop=None, timezone='UTC', count=None*)

This an alternative way to generating sets of Delorean objects with HOURLY stops

`delorean.interface.range_monthly` (*start=None, stop=None, timezone='UTC', count=None*)

This an alternative way to generating sets of Delorean objects with MONTHLY stops

`delorean.interface.range_yearly` (*start=None, stop=None, timezone='UTC', count=None*)

This an alternative way to generating sets of Delorean objects with YEARLY stops

`delorean.interface.stops` (*freq, interval=1, count=None, wkst=None, bysetpos=None, by-month=None, bymonthday=None, byyearday=None, byeaster=None, by-weekno=None, byweekday=None, byhour=None, byminute=None, bysecond=None, timezone='UTC', start=None, stop=None*)

This will create a list of delorean objects the apply to setting passed in.

`delorean.interface.utcnow` ()

Return a delorean object, with utcnow as the datetime

## 2.5 Contribution

*Delorean* is currently in active development and welcomes code improvements and bug fixes. For those of your interested in providing documentation to the lesser know parts would be equally awesome!

Pull down the source:

```
$ git clone git@github.com:myusuf3/delorean.git
```

---

**Note:** All code contributions should have adequate tests. *Delorean* has high test coverage we would like to keep this way.

---

### 2.5.1 Style

If you decide to contribute code please follow naming conventions and style guides the code currently complies too.

When in doubt, be safe, follow [PEP-8](#).

### 2.5.2 Documentation

Contributing to documentation is as simple as editing the specified file in the *docs* directory of the source. We welcome all code improvements.

We use Sphinx for building our documentation. That can be obtained [here](#) .

---

**Note:** We provide easy to use *make* command that will build the docs and open a copy locally in your browser. Simply run the following command from the root directory:

```
$ make doc
```

---

### 2.5.3 Reporting Issues

This is most important of all, if there are issues please let us know. So we can improve *delorean*. If you don't report it, we probably wont fix it.



All issues should be reported on Github [here](#).



## d

`delorean.dates, ??`

`delorean.interface, ??`